

Raw HTML met scripts contact forms

Versie 1

Gepubliceerd 30-mei-16 08:07 door [Paul Swaak](#) Laatst bijgewerkt 30-mei-16 08:07 door [Paul Swaak](#)

Script is bv:

```
<!-- www.123contactform.com script begins here -->
```

```
<script type="text/javascript">var servicedomain="www.123contactform.com"; var frmRef="";
try { frmRef=window.top.location.href; } catch(err) {}; var cfJsHost = (("https:" ==
document.location.protocol) ? "https://" : "http://"); document.write(unescape("%3Cscript
src="" + cfJsHost + servicedomain + "/includes/easyXDM.min.js'
type='text/javascript'%3E%3C/script%3E"));
frmRef=encodeURIComponent(frmRef).replace('%26','[%ANDCHAR%]');
document.write(unescape("%3Cscript src="" + cfJsHost + servicedomain + "/jsform-
1983684.js?ref="+frmRef+" type='text/javascript'%3E%3C/script%3E")); </script>
```

```
<!-- www.123contactform.com script ends here -->
```

In Raw HTML ziet dit er als volgt uit:

```
<div class="axero-widget "> <div class="axero-widget-header"> <h3>Data Request Form</h3>
</div> <div class="axero-widget-content axero-widget-content-padded axero-entity-
formatted-content">
```

```
<script>
```

```
var servicedomain="www.123contactform.com"; var frmRef=""; try {
frmRef=window.top.location.href; } catch(err) {}; var cfJsHost = (("https:" ==
document.location.protocol) ? "https://" : "http://"); document.write(unescape("%3Cscript
src="" + cfJsHost + servicedomain + "/includes/easyXDM.min.js'
type='text/javascript'%3E%3C/script%3E"));
frmRef=encodeURIComponent(frmRef).replace('%26','[%ANDCHAR%]');
document.write(unescape("%3Cscript src="" + cfJsHost + servicedomain + "/jsform-
1983684.js?ref="+frmRef+" type='text/javascript'%3E%3C/script%3E"));
```

```
</script>
```

```
</div></div></div>
```